


## Ordering Research Glucoses


Protocols which require a glucose to be collected repeatedly with in short intervals (i.e. minutes) must be ordered using the **Research Glucose Panel**. This panel prevent Epic from cancelling or combing glucose lab tests that are released/printed close in time to one another.


### Steps to Order the **Research Glucose Panel**:

- Orders Only
- Meds and Orders
- Enter **Research Glucose** in the search field in the lower left hand corner.
- Select and double click **PHS AMB CUSTOM RESEARCH GLUCOSE SERIES** – found under the Database Tab under Panels.




- Select Desired Timepoints and Click Accept





- Select each lab and enter the expected date of visit.



- Use defaults of Lab Collect and Routine

- Research Associate (drop down under Options) and associate the Order to a Diagnosis (Research Exam)
- Sign** the Order
- In the Provider Pop-Up Screen:
  - Select **Per Protocol: Cosign Required** for Order Mode
  - Select PI/Study MD to sign orders for Ordering/Authorizing Provider
  - Select **Order Mode Support Staff** in Entered By Field

The Research Glucose order is now active.

The MD will find the order in the Cosign **Clinic Orders** folder in the In Basket

Research Glucose Results in Epic

### Results

**Research Glucose Series 1 (6 Times)**  
 Collected: 12/21/2018 13:34 Status: Final result Visible to patient: Nc deafness,...

**Newer results are available. Click to view them now.**

	Ref Range & Units	12/21/18 1334
Baseline Glucose	70 - 110 mg/dL	55 ▼
0 Min Glucose	70 - 110 mg/dL	56 ▼
30 Min Glucose	70 - 110 mg/dL	74
60 Min Glucose	70 - 110 mg/dL	177 ▲
90 Min Glucose	70 - 110 mg/dL	144 ▲
120 Min Glucose	70 - 110 mg/dL	123 ▲

