

Information for families with a pathogenic variant in the *RAD51D* gene

The purpose of this handout is to give you detailed information about your genetic test result which you may read and discuss with your medical providers. Researchers will continue to study the RAD51D gene, so please check in with your medical providers once a year to learn of any new information that may be important for you and your family members. Underlined words are listed in the glossary on the last page of this handout.

You have a pathogenic variant in the RAD51D gene

What is hereditary cancer?

- Cancer is a common disease. One out of every 3 people in the United States will develop some type of cancer in his or her lifetime.
- About 5-10% of cancers (up to 1 in 10) are hereditary. Hereditary cancer occurs when a person is born with a pathogenic variant (also known as a mutation) in a gene that increases the chance to develop certain types of cancer. A pathogenic variant can be passed on from one generation to the next.
- Because RAD51D is linked to a moderately increased risk for cancer, some families with a RAD51D
 pathogenic variant may not show common signs of hereditary cancer. Other families may have a history
 that includes ovarian and breast cancer.

What is a pathogenic variant?

- <u>DNA</u> is our genetic material which is passed on from parent to child. It contains the instructions for how
 our bodies develop, grow, and function. A gene is a small piece of <u>DNA</u> which has a specific job to do in
 the body. Some genes determine features like eye color or height, while other genes are involved with our
 health.
- We all have variations in our genes that make us different from one another. Most of these variations do
 not change the way our genes work. However, some variations do prevent a gene from working correctly.
 This type of variation is called a pathogenic variant or mutation.

Why does having this pathogenic variant cause an increased risk for cancer?

- The job of the *RAD51D* gene is to prevent cancer. It is called a <u>tumor suppressor gene</u>. When working correctly, tumor suppressor genes help to prevent cancer by controlling the growth and division of <u>cells</u> and repairing errors in <u>DNA</u> replication.
- People born with a *RAD51D* pathogenic variant have only one working copy of the *RAD51D* gene, so their risk for certain cancers is higher than average.

What are the cancer risks linked to this pathogenic variant?

• People born with a *RAD51D* pathogenic variant have higher risks for certain types of cancer which are outlined in the table below.

Table: Lifetime Cancer Risk (chance to get cancer at any time during life)

	People who do not have a RAD51D gene pathogenic variant	People who have a <i>RAD51D</i> pathogenic variant
Ovarian Cancer	1-2%	10-20%
Breast cancer (assigned female at birth)	12-13%	17-30%

National Comprehensive Cancer Network Genetic/Familial High-Risk Assessment: Breast, Ovarian, and Pancreatic Guideline, v3.2023

• The numbers above are shown as a range. This is because not all families/individuals have the exact same degree of risk. Risks may be affected by the environmental factors, lifestyle, personal medical history, family cancer history, and other genetic or unknown factors.

Is it possible to fix the pathogenic variant?

Unfortunately, it is not yet possible to fix a pathogenic variant in the *RAD51D* gene. However, it is possible to change your medical care and certain things in your lifestyle. Your provider(s) will work with you to discuss these options and create a medical care plan that is right for you.

What are the medical care recommendations?

Current medical care recommendations for people with *RAD51D* pathogenic variants focus on surveillance and <u>risk</u> <u>reducing surgery</u>. Cancer risk information related to *RAD51D* is an area of ongoing research. Over time, the cancer risk information and medical care recommendations may change.

Below are general guidelines. Specific recommendations for individual patients and families may differ.

Surveillance:

The purpose of <u>surveillance</u> (also referred to as 'screening') is to diagnose cancer at as early a stage as possible. Although scientists and physicians can't prevent a cancer from developing, <u>early detection</u> is important. When a cancer is detected early, it is more likely to be treated successfully. There are very good surveillance methods for some, but not for all types of cancer.

Cancer type	Surveillance recommendations
Breast cancer (assigned female at birth)	Mammograms yearly, beginning at age 40
	Consider breast MRI with contrast yearly, beginning at age 40

Ovarian Cancer Medical Care Recommendations

Risk-reducing surgery:

The goal of <u>risk-reducing surgery</u> is to reduce the risk of cancer by removing healthy tissue before cancer develops. This is also called prophylactic surgery. Risk-reducing surgery does not eliminate the chance to get cancer, but it does greatly lower the chance.

• **Risk-reducing bilateral salpingo-oophorectomy (RRBSO):** This surgery removes the ovaries and fallopian tubes to lower the risk of ovarian cancer. RRBSO is recommended for people with a *RAD51D* pathogenic variant around age 45-50 or earlier if there is a family history of early onset ovarian cancer.



Who should I see for my medical care?

It is important to find health care providers you trust for long-term follow-up care. Your primary care providers may be able to provide some of this care. In some cases, you may need to see specially trained medical providers. We are happy to provide you with referrals to specialists at Mass General as needed.

How can I live a healthy lifestyle to lower my risk of developing cancer?

Everyone should follow a healthy lifestyle, but this may be even more important for someone with an increased risk of cancer. According to the American Cancer Society, a healthy lifestyle includes:

- Avoiding tobacco.
- Maintaining a healthy weight.
- Participating in regular physical activity.
- Keeping a healthy diet with plenty of fruits and vegetables.
- Limiting yourself to no more than 1-2 alcoholic drinks per day.
- Protecting your skin and eyes from the sun.
- Knowing your own body and medical history, your family history, and your risks.
- Having regular check-ups and cancer screening tests.

What are the chances that my family members also have the pathogenic variant?

Your children:

- Each of your children has a 50% chance to inherit the normal (working) copy of the *RAD51D* gene and a 50% chance to inherit the *RAD51D* pathogenic variant (the non-working copy).
- RAD51D pathogenic variants are not linked to childhood cancers and will not change a person's medical
 care plan until the age of 40. Therefore, testing children (minors, under the age of 18) for RAD51D
 pathogenic variants is not recommended.
 - o In rare circumstances, when <u>both</u> parents carry a *RAD51D* pathogenic variant, a child may inherit a disease called Fanconi Anemia (FA). Please contact your genetic counselor if you have questions or concerns about FA.

Your siblings and other relatives:

• In most cases, siblings of a person with a *RAD51D* pathogenic variant have a 50% chance to have the same pathogenic variant. Additionally, other family members (such as parents, cousins, aunts, uncles) may also be at risk to have the pathogenic variant.

The letter you received from your genetic counselor will give more specific recommendations about which relatives are candidates for genetic testing. However, please feel free to contact us with any further questions.

I have concerns about passing a RAD51D pathogenic variant to future children. What can I do?

People with *RAD51D* pathogenic variants may have concerns about passing a *RAD51D* pathogenic variant to a child. There are reproductive options that can be used to lower the chance of passing a *RAD51D* pathogenic variant to a child. If you are interested in learning more about these options, please contact your genetic counselor for a referral.



Where can I find additional information?

Feel free to contact us if you have any questions or would like additional resources. Some people find it useful to speak with other people with *RAD51D* pathogenic variants who have similar concerns. We would be happy to arrange this for you if you are interested.

The following is a list of additional sources of information:

Center for Cancer Risk Assessment Mass General Cancer Center www.massgeneral.org/ccra (617) 724-1971

> American Cancer Society <u>www.cancer.org</u> (800) 227-2345

Facing Our Risk of Cancer Empowered (FORCE)

www.facingourrisk.org

(866) 288-RISK

Glossary of cancer genetics terms:

- Assigned female at birth/Assigned male at birth: Refers to the sex that a doctor or midwife uses to
 describe a child at birth based on their external anatomy.
- **Cell**: The basic structural and functional unit of any living thing. Each cell is a small container of chemicals and water wrapped in a membrane. The human body is made up of 100 trillion cells forming all parts of the body such as the organs, bones, and blood.
- **DNA**: <u>Deoxyribonucleic acid</u>, or DNA, is the genetic material that is passed on from parent to child, which gives the instructions for how our bodies develop, grow, and function on a daily basis.
- **Gene**: A gene is a small piece of DNA that gives instructions for a specific trait.
- **Lifetime cancer risk**: The chance that a person will develop cancer in his or her life. This is sometimes defined as the chance of developing cancer by the age of 75 or 80.
- Pathogenic variant: A change in a gene that prevents it from working correctly. Also called mutation.
- **Tumor suppressor gene**: When working correctly, tumor suppressor genes prevent cancers from developing by controlling the growth of cells.

